This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:
☐ BLACK BORDERS
☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
☐ FADED TEXT OR DRAWING
☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
☐ SKEWED/SLANTED IMAGES
COLOR OR BLACK AND WHITE PHOTOGRAPHS
☐ GRAY SCALE DOCUMENTS
☐ LINES OR MARKS ON ORIGINAL DOCUMENT
☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

IMAGES ARE BEST AVAILABLE COPY.

OTHER:

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.





United States Patent and Trademark Office



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/901,806	07/10/2001	Keith R. Slavin	303.743USI	7913
7590 08/26/2004 Schwegman, Lundberg, Woessner & Kluth, P.A. Attn: Marvin L. Beekman P.O. Box 2938 Minneapolis, MN 55402			EXAMINER	
			RAMPURIA, SATISH	
			ART UNIT	PAPER NUMBER
			2124	
			DATE MAILED: 08/26/2004	4

Please find below and/or attached an Office communication concerning this application or proceeding.



		D//				
20.	Application No.	Applicant(s)				
	09/901,806	SLAVIN ET AL.				
Office Action Summary	Examiner	Art Unit				
	Satish S. Rampuria	2124				
The MAILING DATE of this communication app Period for Reply	pears on the cover sheet w	vith the correspondence address				
A SHORTENED STATUTORY PERIOD FOR REPL' THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.1 after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a repl If NO period for reply is specified above, the maximum statutory period or Failure to reply within the set or extended period for reply will, by statute Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	136(a). In no event, however, may a y within the statutory minimum of thi will apply and will expire SIX (6) MO e, cause the application to become A	reply be timely filed irty (30) days will be considered timely. NTHS from the mailing date of this communication. NBANDONED (35 U.S.C. § 133).				
Status						
1) Responsive to communication(s) filed on 10 Ju	Responsive to communication(s) filed on 10 July 2001.					
2a) This action is FINAL . 2b) ☐ This						
3) Since this application is in condition for allowa	nce except for formal ma	tters, prosecution as to the merits is				
closed in accordance with the practice under E	Ex parte Quayle, 1935 C.I	D. 11, 453 O.G. 213.				
Disposition of Claims						
4) Claim(s) 1-51 is/are pending in the application	4) Claim(s) <u>1-51</u> is/are pending in the application.					
4a) Of the above claim(s) is/are withdra	wn from consideration.					
5) Claim(s) is/are allowed.						
6)⊠ Claim(s) <u>1-51</u> is/are rejected.	☑ Claim(s) <u>1-51</u> is/are rejected.					
7) Claim(s) is/are objected to.						
8) Claim(s) are subject to restriction and/o	or election requirement.					
Application Papers						
9) The specification is objected to by the Examine	er.					
10)☐ The drawing(s) filed on is/are: a)☐ acc	epted or b) objected to	by the Examiner.				
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).						
11)☐ The oath or declaration is objected to by the E	xaminer. Note the attache	ed Office Action or form PTO-152.				
Priority under 35 U.S.C. § 119	3.					
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority document 2. Certified copies of the priority document 3. Copies of the certified copies of the prio application from the International Burear * See the attached detailed Office action for a list	ts have been received. ts have been received in a rity documents have been u (PCT Rule 17.2(a)).	Application No n received in this National Stage				
Attachment(s)						
1) Notice of References Cited (PTO-892) 4) Interview Summary (PTO-413)						
 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date 7/10/2001. 		(s)/Mail Date Informal Patent Application (PTO-152)				

Art Unit: 2124

DETAILED ACTION

- 1. This action is in response to the application filed on 07/10/2001.
- 2. Claims 1-51 are pending.

Information Disclosure Statement

3. An initialed and dated copy of Applicant's IDS form 1449 filed on 07/10/2001 is attached to the instant Office action.

Claim Rejections - 35 USC § 101 Utility

4. 35 U.S.C. 101 reads as follows:

Whoever invents or discovers any new and useful process, machine, manufacture, or composition of matter, or any new and useful improvement thereof, may obtain a patent therefor, subject to the conditions and requirements of this title.

5. Claims 1-41 are rejected under 35 U.S.C. 101 because the claimed invention is directed to non-statutory subject matter.

The claims are non-statutory because they recite components of accessing a memory array, representing functional descriptive material without a computer readable medium or computer implemented, program per se are not tangibly embodied. Claims 1-41 thus amounts to only abstract idea and are nonstatutory.

Claim Rejections - 35 USC § 103

6. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

Art Unit: 2124

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

7. Claims 1-51 are rejected under 35 U.S.C. 103(a) as being unpatentable over US Patent
No. 6.014,723 to Tremblay et al. (hereinafter called Tremblay) in view admitted prior art.

Per claim 1:

Tremblay disclose:

- A method of accessing a memory array (col. 3, line, 21-22 "a fully associative memory, such as a content addressable memory") comprising:
- providing data contained within a one-dimensional array of allocated memory (col. 3, lines 49-51 "memory locations is configured to store one pair of the array size values and is associated with ... memory locations");
- declaring a dimensional dynamic overlay on the data contained within the onedimensional array (col. 25, lines 11-14 "array access processor 612 receives an array definition instruction on bus 611 and an array access instruction identifier on bus 613 of the translated software instructions") from within a block of statements in a software program subroutine to initialize attributes within an array attribute storage object (col. 26, lines 58-59 "executing a sequence of translated instructions that define an array access boundary exception subroutine");

Tremblay does not explicitly disclose accessing the data from within the block of statements as a dimensional indexed array using the array attribute storage object.

Art Unit: 2124

However, admitted prior art discloses in an analogous computer system accessing the data from within the block of statements as a dimensional indexed array using the array attribute storage object (Applicant's specification, page 3, lines 14-16 "The array elements are often stored contiguously in the computer's memory, and the subscript or index of the first element is normally zero in all the dimensions applied to the array").

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to incorporate the method of accessing the data stored in an array using index as taught in admitted prior art in corresponding to the method of accessing a memory array as taught by Tremblay. The modification would be obvious because of one of ordinary skill in the art would be motivated to use indexes to access data in an array to simply and explicitly specify array access behavior for invalid array access indices as suggested in admitted prior art (Applicant's specification, page 8-9, lines 32-34 and 1-2).

Per claims 2, 3, and 4:

The rejection of claim 1 is incorporated, and further, Tremblay disclose:

- providing a pointer to the one-dimensional array of allocated memory (col. 23, lines 61-63 "the field block pointer associated with the stored index that matched in input index is output from the second section of the associative memory");
- providing an array access identifier (col. 3, line 60 "an array access instruction identifier"); and

Art Unit: 2124

- providing array information for the declared dimensional dynamic overlay (col. 3, lines 28-31 "to verify that each access of an information array is within a maximum array size boundary value and a minimum array size boundary value").

Per claim 5:

The rejection of claim 1 is incorporated, and further, Tremblay disclose:

- wherein declaring a dimensional dynamic overlay on the data contained within the onedimensional array includes coding a dimensional dynamic overlay declaration using extended programming language from within the subroutine (col. 24, lines 55-59 "translates program information 609 into translated instructions that include array access instructions on bus 611... each of which corresponds to one of the translated instructions. Each array access instruction references an element within the array").

Per claim 6:

The rejection of claim 1 is incorporated, and further, Tremblay disclose:

- setting an explicit boundary policy for the declared dimensional dynamic overlay (col. 3, lines 28-31 "a maximum array size boundary value and a minimum array size boundary value").

Per claim 7:

Tremblay disclose:

Art Unit: 2124

- A method of accessing a memory array (col. 3, line, 21-22 "a fully associative memory, such as a content addressable memory"), comprising:
- providing data contained within a one-dimensional array of allocated memory (col. 3, lines 49-51 "memory locations is configured to store one pair of the array size values and is associated with ... memory locations");
- declaring a dimensional dynamic overlay on the data contained within the onedimensional array (col. 25, lines 11-14 "array access processor 612 receives an array definition instruction on bus 611 and an array access instruction identifier on bus 613 of the translated software instructions") from within a block of statements in a software program subroutine (col. 26, lines 58-59 "executing a sequence of translated instructions that define an array access boundary exception subroutine");

Tremblay does not explicitly disclose providing a dynamic overlay storage object associated with the declared dimensional overlay; assigning attributes from the declared dimensional dynamic overlay to the storage object; and accessing the data from within the block of statements as a dimensional indexed array using the array attribute storage object.

However, admitted prior art discloses in an analogous computer system providing a dynamic overlay storage object associated with the declared dimensional overlay (Applicant's specification, page 4, lines 26-28 "Automatic storage is declared storage that is only available after its declaration, and only within the scope of a block of statements in which it is declared"); assigning attributes from the declared dimensional dynamic overlay to the storage object (Applicant's specification, page 4, lines 26-27 "Automatic storage is declared storage that is only

Art Unit: 2124

available after its declaration"); and accessing the data from within the block of statements as a dimensional indexed array using the array attribute storage object (Applicant's specification, page 3, lines 14-16 "The array elements are often stored contiguously in the computer's memory, and the subscript or index of the first element is normally zero in all the dimensions applied to the array").

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to incorporate the method of providing storage object, assigning attributes to the storage object, and accessing the data stored in an array using index as taught in admitted prior art in corresponding to the method of accessing a memory array as taught by Tremblay. The modification would be obvious because of one of ordinary skill in the art would be motivated to provide storage object, assign attributes to the storage object, and use indexes to access data in an array to simply and explicitly specify array access behavior for invalid array access indices as suggested in admitted prior art (Applicant's specification, page 8-9, lines 32-34 and 1-2).

Per claim 8:

The rejection of claim 7 is incorporated, and further, Tremblay does not explicitly disclose wherein providing a dynamic overlay storage object includes providing a dynamic overlay storage object within a hardware environment art.

However, admitted prior art discloses in an analogous computer providing a dynamic overlay storage object includes providing a dynamic overlay storage object within a hardware

Art Unit: 2124

environment art (Applicant's specification, page 6, lines 21-22 "In hardware, memory is accessed as one-dimensional contiguous storage that is indexed by the memory address").

The feature of having a hardware environment would be obvious for the reasons set forth in the rejection of claim 7.

Per claim 9:

The rejection of claim 7 is incorporated, and further, Tremblay does not explicitly disclose wherein providing a dynamic overlay storage object includes providing a dynamic overlay storage object within a software environment.

However, admitted prior art discloses in an analogous computer providing a dynamic overlay storage object includes providing a dynamic overlay storage object within a software environment (Applicant's specification, page 6, lines 22-24 "In C, a base address is provided for an allocated region of memory, and then one-dimensional array access can be achieved by adding an index offset (scaled by the array element size) to the base address").

The feature of having a software environment would be obvious for the reasons set forth in the rejection of claim 7.

Per claim 10:

The rejection of claim 7 is incorporated, and further, Tremblay does not explicitly disclose automatically freeing the dynamic overlay storage object when leaving the block of statements in which the dimensional dynamic overlay was declared.

Art Unit: 2124

However, admitted prior art discloses in an analogous computer automatically freeing the dynamic overlay storage object when leaving the block of statements in which the dimensional dynamic overlay was declared (Applicant's specification, page 4, lines 26-28 "Automatic storage is declared... storage is released when code execution leaves the block").

The feature of automatically freeing the dynamic overlay storage object would be obvious for the reasons set forth in the rejection of claim 7.

Per claims 11, 12, and 13:

The rejection of claim 7 is incorporated, and further, Tremblay disclose:

- providing a reference to the one-dimensional array of allocated memory (col. 23, lines 61-63 "the field block pointer associated with the stored index that matched in input index is output from the second section of the associative memory");
- providing an array access identifier (col. 3, line 60 "an array access instruction identifier"); and
- providing array information for the declared dimensional dynamic overlay (col. 3, lines 28-31 "to verify that each access of an information array is within a maximum array size boundary value and a minimum array size boundary value").

Per claim 14:

Tremblay disclose:

- A method of creating and accessing a multi-dimensional dynamic array, comprising:

Art Unit: 2124

- declaring a dimensional dynamic array from within a block of statements in software program subroutine (col. 25, lines 11-14 "array access processor 612 receives an array definition instruction on bus 611 and an array access instruction identifier on bus 613 of the translated software instructions");

dynamically allocating memory storage sufficient to store all the elements for the
declared dimensional dynamic array (col. 25, lines 19-23 "array access processor 612 is
simply instructions that are executed by execution unit 616 to load the identifier, and
minimum and maximum array size values into associative memory element 614");

Tremblay does not explicitly disclose providing a dynamic overlay storage object with attributes initialized from the dimensional dynamic array declaration; accessing data from the dynamically allocated memory storage as a dimensional indexed array from within the block of statements using the dynamic overlay storage object; automatically freeing the dynamically allocated memory storage when leaving a subroutine in which the dynamic array is declared; and automatically freeing the dynamic overlay storage object when leaving a subroutine in which the dynamic array is declared.

However, admitted prior art discloses in an analogous computer system providing a dynamic overlay storage object with attributes initialized from the dimensional dynamic array declaration (Applicant's specification, page 4, lines 26-28 "Automatic storage is declared storage that is only available after its declaration, and only within the scope of a block of statements in which it is declared"); accessing data from the dynamically allocated memory storage as a dimensional indexed array from within the block of statements using the dynamic overlay

Art Unit: 2124

storage object (Applicant's specification, page 3, lines 14-16 "The array elements are often stored contiguously in the computer's memory, and the subscript or index of the first element is normally zero in all the dimensions applied to the array"); automatically freeing the dynamically allocated memory storage when leaving a subroutine in which the dynamic array is declared (Applicant's specification, page 4, lines 26-28 "Automatic storage is declared... storage is released when code execution leaves the block"); and automatically freeing the dynamic overlay storage object when leaving a subroutine in which the dynamic array is declared (Applicant's specification, page 4, lines 30-31 "Subroutines are used in C to dynamically allocate a contiguous region of memory and free it after it is no longer needed").

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to incorporate the method of providing a dynamic overlay storage object accessing data from the dynamically allocated memory, automatically freeing the dynamically allocated memory as taught in admitted prior art in corresponding to the method of accessing a memory array as taught by Tremblay. The modification would be obvious because of one of ordinary skill in the art would be motivated to providing a dynamic overlay storage object accessing data from the dynamically allocated memory, automatically freeing the dynamically allocated memory in an array to simply and explicitly specify array access behavior for invalid array access indices as suggested in admitted prior art (Applicant's specification, page 8-9, lines 32-34 and 1-2).

Per claims 15, 16, and 17:

The rejection of claim 14 is incorporated, and further, Tremblay disclose:

Application/Control Number: 09/901,806 Page 12

Art Unit: 2124

- providing a pointer to a corresponding one-dimensional array in the dynamically allocated memory storage (col. 23, lines 61-63 "the field block pointer associated with the stored index that matched in input index is output from the second section of the associative memory");

- providing a handle for an array access (col. 3, line 60 "an array access instruction identifier"); and
- providing array information (col. 3, lines 28-31 "to verify that each access of an information array is within a maximum array size boundary value and a minimum array size boundary value").

Per claim 18:

The rejection of claim 14 is incorporated, and further, Tremblay does not explicitly disclose wherein providing a dynamic overlay storage object includes providing a dynamic overlay storage object within a hardware environment art.

However, admitted prior art discloses in an analogous computer providing a dynamic overlay storage object includes providing a dynamic overlay storage object within a hardware environment art (Applicant's specification, page 6, lines 21-22 "In hardware, memory is accessed as one-dimensional contiguous storage that is indexed by the memory address").

The feature of having a hardware environment would be obvious for the reasons set forth in the rejection of claim 14.

Per claim 19:

The rejection of claim 14 is incorporated, and further, Tremblay does not explicitly disclose wherein providing a dynamic overlay storage object includes providing a dynamic overlay storage object within a software environment.

However, admitted prior art discloses in an analogous computer providing a dynamic overlay storage object includes providing a dynamic overlay storage object within a software environment (Applicant's specification, page 6, lines 22-24 "In C, a base address is provided for an allocated region of memory, and then one-dimensional array access can be achieved by adding an index offset (scaled by the array element size) to the base address").

The feature of having a software environment would be obvious for the reasons set forth in the rejection of claim 14.

Per claim 20:

The rejection of claim 14 is incorporated, and further, Tremblay disclose:

- wherein declaring a dimensional dynamic overlay on the data contained within the onedimensional array includes coding a dimensional dynamic overlay declaration using extended programming language from within the subroutine (col. 24, lines 55-59 "translates program information 609 into translated instructions that include array access instructions on bus 611... each of which corresponds to one of the translated instructions. Each array access instruction references an element within the array").

Per claim 21:

The rejection of claim 14 is incorporated, and further, Tremblay disclose:

Art Unit: 2124

- setting an explicit boundary policy for the declared dimensional dynamic overlay (col. 3, lines 28-31 "a maximum array size boundary value and a minimum array size boundary value").

Per claims 22, 34, and 38:

Tremblay disclose:

- A method of processing a data array (col. 24, line 52 "an array access processor"), comprising:
- providing a software program with at least one block of statements (col. 24, lines 55-57 "translated program information... into translated instructions that include array access instructions on bus");
- declaring a data array within the block of statements (col. 25, lines 11-14 "array access processor 612 receives an array definition instruction on bus 611 and an array access instruction identifier on bus 613 of the translated software instructions");
- setting an explicit array boundary policy for the data array from within the block of statements (col. 3, lines 28-31 "a maximum array size boundary value and a minimum array size boundary value");
- compiling the software program (col. 6, lines 45-50 "A JAVA compiler JAVAC, (FIG. 2) that is executing on a computer platform, converts an application 201 written in the JAVA computer language to an architecture neutral object file format encoding a compiled instruction sequence 203, according to the JAVA Virtual Machine Specification, that includes a compiled instruction set"); and

Art Unit: 2124

- executing the software program (col. 6, lines 45-50 "A JAVA compiler JAVAC, (FIG. 2) that is executing on a computer platform, converts an application 201 written in the JAVA computer language to an architecture neutral object file format encoding a compiled instruction sequence 203, according to the JAVA Virtual Machine Specification, that includes a compiled instruction set").

Tremblay does not explicitly disclose accessing the array within the block of statements.

However, admitted prior art discloses in an analogous computer system accessing the array within the block of statements (Applicant's specification, page 3, lines 14-16 "The array elements are often stored contiguously in the computer's memory, and the subscript or index of the first element is normally zero in all the dimensions applied to the array").

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to incorporate the method of accessing the array within the block of statements as taught in admitted prior art in corresponding to the method of accessing a memory array as taught by Tremblay. The modification would be obvious because of one of ordinary skill in the art would be motivated to access data in an array to simply and explicitly specify array access behavior for invalid array access indices as suggested in admitted prior art (Applicant's specification, page 8-9, lines 32-34 and 1-2).

Per claim 23:

The rejection of claim 22 is incorporated, and further, Tremblay does not explicitly disclose declaring an array access handle; declaring an array size; and declaring a data element type.

Art Unit: 2124

However, admitted prior art discloses in an analogous computer system declaring an array access handle (Applicant's specification, page 5, lines 12-13 "handle is... pointer into memory that is used to select an object as a whole"); declaring an array size (Applicant's specification, page 3, lines 17-18 "The array name... size of each dimension... declared"); and declaring a data element type (Applicant's specification, page 3, lines 17-18 "The array name... the element data type... declared").

The feature of declaring an array access handle, an array size, a data element type would be obvious for the reasons set forth in the rejection of claim 22.

Per claims 24, 25, and 26:

Tremblay disclose:

- determining the number of data array dimensions for a problem; and selecting the total number of data array dimensions (col. 25, lines 14-19 "Array access processor... generate an array reference entry ARRAYi 615 and minimum and maximum array size values MINi 617A and MAXi 617B, respectively, associated with that array reference entry ARRAYi 615 that are all stored in associative memory element 614").

Per claims 27 and 28:

Tremblay disclose:

- obtaining the array boundary policy setting as an array attribute (col. 3, lines 28-31 "a maximum array size boundary value and a minimum array size boundary value");

Application/Control Number: 09/901,806 Page 17

Art Unit: 2124

- associating attributes of the declared data array with the array access handle (col. 3, line 60 "an array access instruction identifier"); and

- accessing the data array at run-time using the array access handle and array indices (col. 23, lines 55-58 "getfield-putfield accelerator 146 includes an associative memory that has a first section that holds the indices that function as tags, and a second section that holds the field block pointers").

Tremblay does not explicitly disclose performing run-time allocation of memory to obtain a base address attribute; performing run-time calculation of array size attributes from the declared data array.

However, admitted prior art discloses in an analogous computer performing run-time allocation of memory to obtain a base address attribute (Applicant's specification, page 3, lines 23-24 "An array identifier contains a pointer to the base address of the array in memory"); performing run-time calculation of array size attributes from the declared data array (Applicant's specification, page 3, lines 7-8 "These calculations are run-time calculations" and Applicant's specification, page 3, lines 17-18 "The array name... array dimension... size of each dimensions... declared").

The feature of performing run-time allocation of memory and performing run-time calculation of array size attributes would be obvious for the reasons set forth in the rejection of claim 22.

Per claim 29:

Art Unit: 2124

The rejection of claim 28 is incorporated, and further, Tremblay does not explicitly disclose obtaining the attributes of the declared data array using the array access handle; and performing run-time boundary policy enforcement based on array access attributes.

However, admitted prior art discloses in an analogous computer terminating the program if the array boundary policy aborts for an invalid index (Applicant's specification, page 7, lines 19-21 "If out-of-bounds array indices are used, the underlying array access mechanism may access memory outside that allocated for the array, possibly causing a running program to terminate").

The feature of terminating the program if the array boundary policy aborts for an invalid index would be obvious for the reasons set forth in the rejection of claim 22.

Per claim 30:

The rejection of claim 27 is incorporated, and further, Tremblay disclose:

applying the array boundary policy to constrain the invalid index values to be valid index values (col. 3, lines 28-31 "a maximum array size boundary value and a minimum array size boundary value").

Tremblay does not explicitly disclose obtaining the attributes of the declared data array using the array access handle; performing run-time invalid index value detection based on array access attributes for the declared data array; applying the array boundary policy to constrain the invalid index values to be valid index values; calculating an offset into the declared data array from the valid index values and the attributes of the declared data array; and adding the offset to the base address attribute to obtain a memory address for accessing the indexed data array element.

Art Unit: 2124

However, admitted prior art discloses in an analogous computer obtaining the attributes of the declared data array using the array access handle (Applicant's specification, page 5, lines 12-13 "A handle is usually a pointer into memory that is used to select an object as a whole"); performing run-time invalid index value detection based on array access attributes for the declared data array (Applicant's specification, page 7, lines 19-21 "If out-of-bounds array indices are used, the underlying array access mechanism may access memory outside that allocated for the array, possibly causing a running program to terminate"); calculating an offset into the declared data array from the valid index values and the attributes of the declared data array (Applicant's specification, page 5, lines 12-13 "one-dimensional array access can be achieved by adding an index offset (scaled by the array element size) to the base address"); and adding the offset to the base address attribute to obtain a memory address for accessing the indexed data array element (Applicant's specification, page 5, lines 12-13 "one-dimensional array access can be achieved by adding an index offset (scaled by the array element size) to the base address").

The feature of obtaining the attributes of the declared data array using the array access handle, performing run-time invalid index value detection, and adding the offset to the base address would be obvious for the reasons set forth in the rejection of claim 22.

Per claims 31, 35, and 39:

The rejection of claim 22 is incorporated, and further, Tremblay disclose:

- wherein setting an explicit array boundary policy for the data array from within the block of statements includes setting a reflect-at-boundary policy that reflect array data at a declared boundary (col. 3, lines 28-31 "a maximum array size boundary value and a

Art Unit: 2124

"Gorial of Marrison: Goroot,

minimum array size boundary value" and col. 23-24, lines 66-67 to 1-2 "Bounds check unit 147 (FIG. 1) in execution unit 140... checks each access to an element of an array to determine whether the access is to a location within the array").

Per claims 32, 36, and 40:

The rejection of claim 22 is incorporated, and further, Tremblay disclose:

- wherein setting an explicit array boundary policy for the data array from within the block of statements includes setting a confined index and boundary policy that replicates data beyond a detected boundary (col. 24, lines 2-4 "When the access is to a location outside the array, bounds check unit 147 issues an active array bound exception signal to execution unit 140").

Per claims 33, 37, and 41:

The rejection of claim 22 is incorporated, and further, Tremblay disclose:

- wherein setting an explicit array boundary policy for the data array from within the block of statements includes setting a pre-defined array attribute value that is to be read for all out of bounds accesses (col. 24, lines 22-25 "If the value associated with the access of the array's element is less than or equal to the stored maximum value and greater than or equal to the stored minimum value, neither comparator element generates an output signal").

Art Unit: 2124

Claim 42, 47, 48, and 49 are the system claims corresponding to method claim 22 and rejected

under the same rational set forth in connection with the rejection of claim 22 above.

Per claims 43-45:

The rejection of claim 42 is incorporated, and further, Tremblay disclose:

- wherein the translator includes a compiler adapted for converting the extended language

into machine code instructions that is able to be run on the processor (col. 5,lines 43-46

"emulating the JAVA virtual machine as a software interpreter, compiling JAVA virtual

machine instructions (either in batch or just-in-time) to machine instruction native to a

particular hardware processor").

Per claim 46:

The rejection of claim 42 is incorporated, and further, Tremblay does not explicitly disclose the

extended language is a C programming language with language extensions; and the language

converter converts the extended language into C code.

However, admitted prior art discloses in an analogous computer the extended language is

a C programming language with language extensions (Applicant's specification, page 1, line 30

"Examples of mid-level programming languages are C and C++"); and the language converter

converts the extended language into C code (Applicant's specification, page 2, lines 12-14 "Files

can be translated into low-level machine code or assembler for a target computer type by a

computer program called a compiler").

Art Unit: 2124

The feature of using C language and a language converter would be obvious for the reasons set forth in the rejection of claim 42.

Per claim 50:

The rejection of claim 48 is incorporated, and further, Tremblay does not explicitly disclose wherein the translator includes a cross compiler.

However, admitted prior art discloses in an analogous computer wherein the translator includes a cross compiler (Applicant's specification, page 2, lines 14-15 "A cross compiler is a compiler that runs on one computer and produces machine code targeted for a different type of computer").

The feature of using cross compiler would be obvious for the reasons set forth in the rejection of claim 48.

Per claim 51:

The rejection of claim 48 is incorporated, and further, Tremblay does not explicitly disclose wherein the translator includes a native compiler.

However, admitted prior art discloses in an analogous computer wherein the translator includes a native compiler (Applicant's specification, page 2, lines 15-16 "A native compiler runs on the target computer or a computer of the same type").

The feature of using native compiler would be obvious for the reasons set forth in the rejection of claim 48.

Conclusion

8. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

The following patent is cited to further show the state of the art with respect to accessing memory array.

US Patent No. US 6240499 B1 to Spencer

US Patent No. US 5586325 A to MacDonald et al.

US Patent No. US 6279152 B1 to Aoki et al.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Satish S. Rampuria whose telephone number is 703-305-8891. The examiner can normally be reached on 8:30 am to 5:00 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Kakali Chaki can be reached on (703) 305-9662. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Satish S. Rampuria

Art Unit: 2124

Patent Examiner

Art Unit 2124

08/23/2004

TODD INGBERG PRIMARY EXAMINER